









Half Face

Respirator

Not Controlled

WHMIS

Pictograms

Not Regulated

DOT Pictograms

Protective Safety Glasses

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Loosefill Insulation Product Name:

MSDS Manufacturer Number: 23118-NAM

PROPINK® Loosefill Fiber Glass Insulation, PROPINK Complete $^{\text{TM}}$ Blown-In Insulation, PROPINK® L77 PINK Fiberglas $^{\text{TM}}$ Insulation

Product Use/Restriction: Blowing Wool.

Manufacturer Name: Owens Corning Insulating Systems, LLC

One Owens Corning Parkway Address: Toledo, OH 43659

Customer Service Phone

Number:

1-800-GET-PINK or 1-800-438-7465

Health Issues Information: 1-800-GET-PINK or 1-800-438-7465 Technical Product 1-800-GET-PINK or 1-800-438-7465 Information:

Emergency Phone Number: 1-419-248-5330 (after 5pm ET and weekends)

CHEMTREC: 800-424-9300 (24 hours everyday).

(613) 996-6666 (Canada 24 hours everyday). Canutec:

Website: www.owenscorning.com MSDS Revision Date: January 14, 2013

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name		CAS#	Ingredient Percent	EC Num.
Fiber Glass (Wool)		65997-17-3	95 - 100 by weight	266-046-0
Petroleum distillates, solvent-refi	ned heavy paraffinic	64741-88-4	0 - 5 by weight	265-090-8
Non-Hazardous Statement:	The remaining components of thi meet regulatory thresholds for dis			

would influence the classification of this product.

SECTION 3: HAZARDS IDENTIFICATION

Applies to Product

Emergency Overview: Exposure to dust may be irritating to eyes, nose, and throat.

Route of Exposure: Eye contact Skin contact Inhalation

Potential Health Effects:

Eye: May cause slight irritation. Skin: May cause slight skin irritation.

Inhalation: May cause irritation of respiratory tract. Inaestion: Ingestion of this product is unlikely.

Chronic Health Effects: There is no known chronic health effect connected with long-term use or contact with this product.

Carcinogenicity: This product contains a component which is listed by IARC, OSHA or NTP. See Section 11 for additional

Potential Environmental Effects: There is no known ecological information for this material.

> Loosefill Insulation Product Code: 23118-NAM Revision:: 01/14/2013

Target Organs: Not available.

Aggravation of Pre-Existing

Conditions:

Chronic respiratory or skin conditions may temporarily worsen from exposure to this product.

This product is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). OSHA Regulatory Status:

SECTION 4: FIRST AID MEASURES

Eve Contact: Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers.

Do not rub or scratch eyes. If eye irritation persists, consult a specialist.

Skin Contact: Wash off immediately with soap and cold water.

DO NOT use warm water because this will open up the pores of the skin, which will cause further penetration of the fibers.

Use a wash cloth to help remove fibers. DO NOT rub or scratch affected areas. Remove contaminated clothing.

If irritation persists get medical attention. Never use compressed air to remove fibers from the skin.

If fibers are seen penetrating from the skin, the fibers can be removed by applying and removing adhesive tape so that the fibers adhere to the tape and are pulled out of the skin.

Inhalation: Move to fresh air.

If symptoms persist, call a physician.

Accidental ingestion of this material is unlikely. Inaestion:

If this does occur, watch person for several days to make sure intestinal blockage does not occur. Rinse mouth with water and drink water to remove fibers from the throat.

If symptoms persist, call a physician.

Note to Physicians: Treat symptomatically.

SECTION 5: FIRE FIGHTING MEASURES

Flammable Properties: Non Flammable Flash Point: Does not apply. Auto Ignition Temperature: Does not apply.

> dry chemical foam.

carbon dioxide (CO2). water fog

Protective Equipment: Wear self-contained breathing apparatus (SCBA) and full fire fighting protective gear.

Hazardous Combustion

Carbon monoxide. Byproducts:

Carbon dioxide.

Other undetermined compounds could be released in small quantities.

Universal Fire And Explosion

Extinguishing Media:

Hazards:

Not available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personnel Precautions: Avoid contact with skin and eves.

Environmental Precautions: Prevent further leakage or spillage if safe to do so.

This material will settle out of the air. Methods for containment:

Prevent from spreading by covering, diking or other means.

Methods for cleanup: Use an industrial vacuum cleaner with a high efficiency filter to clean up dust and fiber contamination.

Avoid dry sweeping. Pick up and transfer to properly labeled containers.

Other Precautions: Does not apply.

SECTION 7: HANDLING and STORAGE

Hygiene Practices:

Handling: Avoid dust formation. Do not breathe dust

Wear personal protective equipment.

Keep product in its packaging until use to minimize potential dust generation. Product should be kept dry and undercover. Storage:

Wash hands before breaks and immediately after handling the product.

Remove and wash contaminated clothing before re-use.

SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION - EXPOSURE GUIDELINES

Engineering Controls: Provide local exhaust and/or general ventilation to maintain exposure below regulatory and

recommended limits.

Dust collection system must be used in transferring operations, cutting or machining or other dust

generating processes, such as using power tools. Vacuum or wet clean-up methods should be used.

Loosefill Insulation Product Code: 23118-NAM Revision:: 01/14/2013

Page 2 of 5

Eve/Face Protection: Safety glasses with side-shields.

Skin Protection Description:

Protective gloves. Long sleeved shirt and long pants.

Respiratory Protection: When workers are facing airborne particulate/dust concentrations above the exposure limit they must use appropriate certified respirators.

A properly fitted NIOSH approved disposable N 95 type dust respirator or better is recommended.

Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use. General Hygiene Considerations:

EXPOSURE GUIDELINES

Ingredient	Guideline OSHA	Guideline NIOSH	Guideline ACGIH	Ontario Canada	Mexico
Fiber Glass (Wool)	PEL-TWA: 1 f/cc (Respirable.)		TLV-TWA: 1 f/cc (Respirable.)	TWAEV-TWA: 0.05 mg/m3 or 1 f/cc STEL: 0.6 mg/m3	TWA: 0.15 mg/m3
Petroleum distillates, solvent-refined heavy paraffinic	PEL-TWA: 5 mg/m3 (Oil mist)	REL-TWA: 5 mg/m3 (Oil mist)	TLV-TWA: 5 mg/m3 (Oil mist)		

SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

Physical State Appearance: Fibrous. Color: Pink Odor: Odorless. **Boiling Point:** No Data Melting Point: No Data Specific Gravity: No Data

Solubility: Insoluble. in water.

Vapor Density: No Data Vapor Pressure: No Data Evaporation Rate: No Data pH: No Data Not applicable. Viscosity: Does not apply. Flash Point: Auto Ignition Temperature: Does not apply.

SECTION 10: STABILITY and REACTIVITY

Chemical Stability: Stable under normal conditions.

Hazardous Polymerization: Hazardous polymerization does not occur.

Conditions to Avoid: None expected

Incompatible Materials: No materials to be especially mentioned.

Special Decomposition Products: See Section 5 of MSDS for hazardous decomposition products during a fire.

SECTION 11: TOXICOLOGICAL INFORMATION

Applies to Product:

Acute Toxicity: Dusts may cause mechanical irritation to eyes and skin. Ingestion may cause transient irritation of throat, stomach and gastrointestinal tract. Inhalation may cause coughing, nose and throat irritation,

and sneezing. High exposures may cause difficulty breathing, congestion, and chest tightness.

Carcinogens:							
	ACGIH	NIOSH	OSHA	IARC	NTP	Canada	MEXICO
Fiber Glass (Wool)	A3 Animal Carcinogen	No Data	No Data	Group 3 - Not Classifiable as to its Carcinogenicity to Humans.	Biosoluble glass wool is not considered to be carcinogenic.		A3 Animal Carcinogen
Petroleum distillates, solvent-refined heavy paraffinic	No Data	No Data	No Data	No Data	No Data		No Data

Applies to Product:

Sensitization: No information available. Mutagenicity: No information available. Reproductive Toxicity: No information available. Teratogenicity: No information available.

> Loosefill Insulation Revision:: 01/14/2013

Product Code: 23118-NAM

Neurological Effects: No information available.

Fiber Glass (Wool):

Chronic Effects: In June 2011, The National Toxicology Program (NTP) removed biosoluble glass wool fibers from its list of possible carcinogens used for home and building insulation.

In October 2001, the International Agency for Research on Cancer (IARC) classified fiber glass wool as Group 3,"not classifiable as to its carcinogenicity to humans". The 2001 decision was based on human studies and animal research that have not shown an association between inhalation exposure to dust from fiber glass wool and the development of respiratory disease.

SECTION 12: ECOLOGICAL INFORMATION

Applies to Product:

Ecotoxicity: This material is not expected to cause harm to animals, plants or fish.

Bioaccumulation: Not available. Not available. Biodegradation: Mobility In Environmental Media: Not available.

SECTION 13: DISPOSAL CONSIDERATIONS

Applies to Product:

Waste Disposal: Dispose of in accordance with Local, State, Federal and Provincial regulations.

Contaminated Packaging: Empty containers should be taken for local recycling, recovery or waste disposal.

RCRA Number: No EPA Waste Numbers are applicable for this product's components.

RCRA Characteristics: This material is not expected to be a characteristic hazardous waste under RCRA.

SECTION 14: TRANSPORT INFORMATION

DOT Shipping Name: Not Regulated.

IATA Shipping Name: Not Regulated.

Canadian Shipping Name: Not Regulated. IMDG Shipping Name: Not Regulated. Not Regulated. ADR Shipping Name: RID Shipping Name: Not Regulated. ICAO Shipping Name: Not Regulated. MEX Shipping Name: Not Regulated.

SECTION 15: REGULATORY INFORMATION

Inventory Status

	Japan ENCS	EINECS Number	Philippines PICCS	China	South Korea KECL
Fiber Glass (Wool)	Not listed	266-046-0	Listed	Listed	KE-17630
Petroleum distillates, solvent-		265-090-8			KE-12614
refined heavy paraffinic					

	Australia AICS	Canada DSL	TSCA Inventory	
			Status	
Fiber Glass (Wool)	Listed	Listed	Listed	
Petroleum distillates, solvent-	Listed	Listed	Listed	
refined heavy paraffinic				

Applies to Product:

Canada Reg. Status: This product has been classified in accordance with the hazard criteria of the Controlled Products

Regulations and the MSDS contains all of the information required by the Controlled Products

Regulations.

Canada WHMIS: Not controlled.

This product does not contain any chemicals which are subject to the reporting requirements of the Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III (40CFR, Part 372). SARA:

Page 4 of 5

Section 311/312 Hazard

Acute Health Hazard.: Categories: Yes Chronic Health Hazard:

Risk of ignition.: Sudden Release of Pressure Hazard.: Nο Reactive Hazard: No

Loosefill Insulation Product Code: 23118-NAM Revision:: 01/14/2013

Clean Air Act: This product does not contain any Hazardous Air Pollutants (HAPs).

Fiber Glass (Wool):

EC Number: 266-046-0

 $\underline{\textbf{Petroleum distillates, solvent-refined heavy paraffinic}}:$

EC Number: 265-090-8

State Right To Know

	RI	MN	IL	PA	MA
Fiber Glass (Wool)	Listed	Listed	Listed	Listed	Listed
Petroleum distillates, solvent-	No Data				
refined heavy paraffinic					

	Ю		
Fiber Glass (Wool)	No Data		
Petroleum distillates, solvent-	No Data		
refined heavy paraffinic			

SECTION 16: ADDITIONAL INFORMATION

MSDS Revision Date: January 14, 2013

MSDS Revision Notes: Section 11 Updated with 2011 NTP Evaluation

MSDS Author:

Disclaimer:

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.

Copyright© 1996-2013 Actio Corporation. All Rights Reserved.

Loosefill Insulation Product Code: 23118-NAM Revision:: 01/14/2013